

**MSME, CMMI LEVEL 3 & ISO 9001-2015
CERTIFIED COMPANY**



RF ID



Fingerprint



Face ID




Door Lock



Turnstile



Aadhaar Enable Biometric Device



Mobile App



Cloud Software

BIOMETRIC SOLUTIONS for Time Attendance

Verification and Access Control Systems...



Economic Series



Eco S C101

Excel Output Attendance System with Table Top Option

- ◆ LCD Display: 2.4" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 1000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method: USB Host



Eco S C110t

Color Display Attendance System with TCP/IP

- ◆ LCD Display: 2.8" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 1000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method : TCP/IP, USB



RS 10

Color Screen Attendance Recorder

- ◆ LCD Display: 2.4" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 3000
- ◆ Transaction Capacity: 231424 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method : TCP/IP, USB



RS 20

Color Screen Attendance Recorder with Access Control

- ◆ LCD Display: 2.4" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 3000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method : TCP/IP, USB



Eco S C121ta

Color Screen Attendance Recorder Simple with Access Control

- ◆ LCD Display: 2.4" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 3000
- ◆ Transaction Capacity: 231424 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method : TCP/IP, USB



T5

Excel Output Attendance Recorder

- ◆ LCD Display: 2.4" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 1000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method : USB Host



Attendance And Professional Access Control



T6

Mono Screen Industrial Model Attendance Recorder

- ◆ LCD Display: 3.0" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 2000
- ◆ Transaction Capacity: 150000 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method : TCP/IP, USB



T52

Color Screen Attendance Recorder with Access Control & Battery Backup

- ◆ LCD Display: 2.8" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 3000
- ◆ Transaction Capacity: 231424 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method : TCP/IP, USB



T 60

Color Screen Attendance Cum Access Control System

- ◆ LCD Display: 2.8" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 5000
- ◆ Transaction Capacity: 231424 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method : TCP/IP, USB



T 16W

Professional Monoscreen Access Control With Wifi

- ◆ Display: 122*32 Monochrome Screen
- ◆ Fingerprint / Card Capacity: 3000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method: Rs485, TCP/IP, USB



T 28

Professional Compact Access Control System

- ◆ LCD Display: 3.0" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 3000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Finger, Card
- ◆ Communication Method : Rs485, TCP/IP, USB



T61 N

Professional Access Controller With Bell Connectivity

- ◆ LCD Display: 2.8" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 3000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method : Rs485, TCP/IP, USB



T 62

Waterproof Outdoor Access Control System

- ◆ LCD Display: 2.8" TFT Color Screen
- ◆ Fingerprint / Card Capacity: 5000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Finger, Card & Password
- ◆ Communication Method : Rs485, TCP/IP, USB



Standalone Access Control



TD1D

Stand-Alone Fingerprint Access Control System

- ◆ Fingerprint / Card Capacity / Pin : 500
- ◆ Identification Mode: Finger, Card & Password
- ◆ Optical Fingerprint Module
- ◆ Pin Reader : 4~6 digits Pin
- ◆ Operating Voltage : 12V DC



T123

Stand-Alone Single Door RFID Access Control

- ◆ Basic Config. : Built In Proximity Card Reader and PIN
- ◆ Key Board (Keyboard for Management, Proximity Card
- ◆ For Opening Door)
- ◆ Reading Distance : >5cm
- ◆ Storage : 6399 Card Or Password



K2

Stand-Alone Single Door RFID Access Control

- ◆ Basic Config. : Built In Proximity Card Reader and PIN
- ◆ Key Board (Keyboard for Management, Proximity Card
- ◆ For Opening Door)
- ◆ Reading Distance : >5cm
- ◆ Storage : 6399 Card Or Password



Rfid Attendance & Access Control



T16 C

Color Screen Attendance Recorder Simple with Access Control

- ◆ LCD Display: 122*32 Monochrome Screen
- ◆ Password / Card Capacity: 10,000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Card & Password
- ◆ Communication Method : Rs485, TCP/IP, USB



T61 C

Sleek Professional RFID Access Control With Bell Connectivity

- ◆ LCD Display: 2.8" TFT Color Screen
- ◆ Password / Card Capacity: 10,000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Card & Password
- ◆ Communication Method : Rs485, TCP/IP, USB



T600

Card Based Access Control System

- ◆ LCD Display: 3.0" TFT Color Screen
- ◆ Password / Card Capacity: 10,000
- ◆ Transaction Capacity: 100000 logs
- ◆ Identification Mode: Card & Password
- ◆ Communication Method : Rs485, TCP/IP, USB



Slave Reader



ST 25

Fingerprint + Card Slave Reader

- ◆ Device Support : T16/T61/T28/T62
- ◆ Working : Working With Master Machine
- ◆ Power Supply : DC 12V
- ◆ Identification Style : Fingerprint/Card/Password
- ◆ Fingerprint/Card Capacity : As Per master Device



RF 10

Proximity Card Reader

- ◆ Range : 2-15cm Proximity Range (12KHz)
- ◆ Built In Antenna
- ◆ Power : DC 12V Working Voltage, 70mA Working Current
- ◆ 100 Meter Communication Distance
- ◆ Less than 0.2 Second Response Speed



RF 10M

Mifare Card Reader

- ◆ Range : 2-15cm Mifare Range (12KHz)
- ◆ Built In Antenna
- ◆ Power : DC 12V Working Voltage, 70mA Working Current
- ◆ 100 Meter Communication Distance
- ◆ Less than 0.2 Second Response Speed



UHF 5M

UHF Reader 5 Meter Range

- ◆ Data Output : WG26/24, Rs232/485
- ◆ Frequency Power Rate : 0-30 dBm
- ◆ Card Reading Distance : 1-5 M
- ◆ Card Reading Time : <6m
- ◆ Working Temperature : -20 ~ 80



UHF 15M

UHF Reader 15 Meter Range

- ◆ Data Output : WG26/24, Rs232/485
- ◆ Frequency Power Rate : 0-30 dBm
- ◆ Card Reading Distance : 1-15M
- ◆ Card Reading Time : <6m
- ◆ Working Temperature : -20 ~ 80



Aadhaar Base Attendance Devices



T 502L
With Lan

Aadhaar Enable Biometric Attendance Device

- ◆ Fingerprint Supplier : Startek STQC Certified
- ◆ RAM : 1GB, ROM : 8GB
- ◆ Screen Size : 7 inch, OS Version : 8.0
- ◆ Internal Modem : GPRS/EDGE/3G, Battery : 4000 mAh
- ◆ Fingerprint, TCP/IP,WIFI,Bluetooth, USB Link, Micro USB
- ◆ GPRS(3G), DC Charging, GPS



T 502W
Without Lan

Aadhaar Enable Biometric Attendance Device

- ◆ Fingerprint Supplier : Startek STQC Certified
- ◆ RAM : 1GB, ROM : 8GB
- ◆ Screen Size : 7 inch, OS Version : 8.0
- ◆ Internal Modem : GPRS/EDGE/3G, Battery : 4000 mAh
- ◆ Fingerprint,WIFI,Bluetooth, GPRS(3G),
- ◆ DC Charging, GPS



RS 405L
With Lan

Aadhaar Enable Biometric Attendance Device

- ◆ Fingerprint Supplier : Startek STQC Certified
- ◆ RAM : 1GB, ROM : 8GB
- ◆ Screen Size : 7 inch, OS Version : 8.0
- ◆ Internal Modem : GPRS/EDGE/3G, Battery : 4000 mAh
- ◆ Fingerprint, TCP/IP,WIFI,Bluetooth, USB Link, Micro USB
- ◆ GPRS(3G), DC Charging, GPS, Safety Net Pass



RS 405W
Without Lan

Aadhaar Enable Biometric Attendance Device

- ◆ Fingerprint Supplier : Startek STQC Certified
- ◆ RAM : 1GB, ROM : 8GB
- ◆ Screen Size : 7 inch, OS Version : 8.0
- ◆ Internal Modem : GPRS/EDGE/3G, Battery : 4000 mAh
- ◆ Fingerprint, TCP/IP,WIFI,Bluetooth, USB Link, Micro USB
- ◆ GPRS(3G), DC Charging, GPS, Safety Net Pass



FM 220U

Startek FM220U Registered Device Fingerprint Reader

- ◆ Startek FM220U STQC Certified Fingerprint Scanner For eKYC, AADHAAR PAY, SIM Card Activation With RD Service



BIS Approved Product



Door Lock



F1

Fingerprint Door Lock

- ◆ Materials : Stainless Steel
- ◆ Fingerprint Capacity : 200
- ◆ Password Capacity : 8 Group (6-12 digits)
- ◆ Virtual Password : 36 digits (Anti Peep Password)
- ◆ Log Capacity : 3000



F2

Fingerprint Door Lock

- ◆ Materials : Zinc Alloy
- ◆ Fingerprint Capacity : 200
- ◆ Password Capacity : 8 Group (6-12 digits)
- ◆ Virtual Password : 36 digits (Anti Peep Password)
- ◆ Log Capacity : 3000



Controller



T 2DF

4 Fingerprint Reader 2 Door Controller

- ◆ Finger/Card Capacity : 3000
- ◆ Doors : 2, Readers : 4
- ◆ Power : 12V>100mA
- ◆ Database : Access and SQL
- ◆ Communication : TCP/IP



T 4DF

4 Fingerprint Reader 4 Door Controller

- ◆ Finger/Card Capacity : 3000
- ◆ Doors : 4, Readers : 4
- ◆ Power : 12V>100mA
- ◆ Database : Access and SQL
- ◆ Communication : TCP/IP



T 4D

4 Door Access Controller

- ◆ Card Capacity : 30,000
- ◆ Attendance Log : 200000
- ◆ Working Mode : Offline/Online
- ◆ Verification : ID Card, Password
- ◆ Communication : TCP/IP



Face Recognition Solution



T304F

Face With Finger Attendance Cum Simple Access Control System

- ◆ Face User Capacity: 1000
- ◆ Fingerprint / Card Capacity: 5000
- ◆ Transaction Capacity: 300000 logs
- ◆ Identification Mode: Face, Finger, Card, Password
- ◆ Communication Method : TCP/IP, USB



T52 F

Finger With Face Attendance Recorder With Access Control & Battery Backup

- ◆ Face User Capacity: 1000
- ◆ Fingerprint / Card Capacity: 5000
- ◆ Transaction Capacity: 300000 logs
- ◆ Identification Mode: Face, Finger, Card, Password
- ◆ Communication Method : TCP/IP, USB



T501 F Plus

Face With Finger Attendance Recorder

- ◆ Face User Capacity: 3000
- ◆ Fingerprint / Card Capacity: 10000
- ◆ Transaction Capacity: 300000 logs
- ◆ Identification Mode: Face, Finger, Card, 4.3" Touch LCD
- ◆ Communication Method : TCP/IP, USB



RS 850

Face With Finger Attendance Recorder

- ◆ Face User Capacity: 1500
- ◆ Fingerprint / Card Capacity: 10000
- ◆ Transaction Capacity: 300000 logs
- ◆ Identification Mode: Face, Finger, Card, 4.3" Touch LCD
- ◆ Communication Method : Rs485, TCP/IP, USB



FA 1

Face ID Sleek Professional Access Control

- ◆ Face User Capacity: 3000
- ◆ Fingerprint / Card Capacity: 1000
- ◆ Transaction Capacity: 100000 logs
- ◆ Displayer : Color Screen 2.8 inch TFLCD
- ◆ Attendance (On/Off duty) time quantum




FA 2

Face ID Sleek Professional Access Control

- ◆ Face User Capacity: 3000
- ◆ Fingerprint / Card Capacity: 1000
- ◆ Transaction Capacity: 100000 logs
- ◆ Displayer : Color Screen 2.8 inch TFLCD
- ◆ Attendance (On/Off duty) time quantum



Software



Realsoft Multi-location Attendance solution on Cloud

1. Multi user Login.
2. SQL server database (Express edition)
3. Employee self service utility.
4. GPS punch using mobile app (from field).
5. Attendance and Payroll.
6. Auto Push data technology.
7. Centralized data management & MIS reports.
8. App available for Android and IOS mobile phones




Free Realsoft Cloud Attendance Management & Payroll Software

1. Daily reports
2. Monthly report
3. Master report
4. Leave report
5. GPS Report



Realsoft Android & iOS Mobile App

1. Admin shall have full authority to perform all functions.
 2. Admin can view any reports \ data of employees.
 3. Admin can approve GPS punch marked by employees from office.
 4. Admin approve the leave application.
-
1. User can see their own reports monthly and daily.
 2. User can send their attendance with their photo, date and time with location.
 3. User can send their leave request their HOD through app.



Realsoft Student Attendance Management Solution

1. Reduce paperwork and save time and money with mobile and cloud-based School management system.
2. Automatic SMS Alert about your ward on different location like Entering & Exiting from the school etc.
3. Improve visibility to track and manage student attendance & absenteeism across multiple Location.
4. Tracking of Parent's wards .
5. Automatic calculation of leave.
6. Easy attendance recording by using RFID & Biometric based attendance system .
7. Tracking of teachers and staff attendance along with assign work.
8. Keep the parents informed about the student's performance via email & sms alerts.



Realsoft Attendance & Payroll Management Software

1. Send report by mail
2. MS Access database
3. Dashboard
4. Manual Punching.
5. Attendance and Payroll.
6. Auto Push data technology.
7. Centralized data management & MIS reports.